# NCERT Solutions for Class 7 Maths Chapter 2

## **Fractions and Decimals Class 7**

Chapter 2 Fractions and Decimals Exercise 2.1, 2.2, 2.3, 2.4, 2.5, 2.6, 2.7 Solutions

Exercise 2.1 : Solutions of Questions on Page Number : 31 Q1 : Solve:

(i)	$2 - \frac{3}{5}$	(ii)	4+	7 8 (iii)	5	+	2		
	9	4		7	2	3		2	, 1
(iv)	11	15	(v)	10	5	2	(vi)	23	2
(vii)	$8\frac{1}{2}$	$-3\frac{5}{8}$							

Answer :

(i)	$2 - \frac{3}{5} = \frac{2 \times 5}{5} - \frac{3}{5} = \frac{10 - 3}{5} = \frac{7}{5}$
(ii)	$4 + \frac{7}{8} = \frac{4 \times 8}{8} + \frac{7}{8} = \frac{(4 \times 8) + 7}{8} = \frac{39}{8} = 4\frac{7}{8}$
	$\frac{3}{5} + \frac{2}{7} = \frac{3 \times 7}{5 \times 7} + \frac{2 \times 5}{7 \times 5} = \frac{21 + 10}{35} = \frac{31}{35}$
(iv)	$\frac{9}{11} - \frac{4}{15} = \frac{9 \times 15}{11 \times 15} - \frac{4 \times 11}{15 \times 11} = \frac{135 - 44}{165} = \frac{91}{165}$
	$\frac{7}{10} + \frac{2}{5} + \frac{3}{2} = \frac{7}{10} + \frac{2 \times 2}{5 \times 2} + \frac{3 \times 5}{2 \times 5} = \frac{7 + 4 + 15}{10} = \frac{26}{10} = \frac{13}{5} = 2\frac{3}{5}$
	$2\frac{2}{3} + 3\frac{1}{2} = \frac{8}{3} + \frac{7}{2} = \frac{8 \times 2}{3 \times 2} + \frac{7 \times 3}{2 \times 3} = \frac{16 + 21}{6} = \frac{37}{6} = 6\frac{1}{6}$
(vii)	$8\frac{1}{2} - 3\frac{5}{8} = \frac{17}{2} - \frac{29}{8} = \frac{17 \times 4}{2 \times 4} - \frac{29}{8} = \frac{68 - 29}{8} = \frac{39}{8} = 4\frac{7}{8}$

Q2 :

Arrange the following in descending order:

(i)  $\frac{\frac{2}{9}, \frac{2}{3}, \frac{8}{21}}{(ii)}$  (ii)  $\frac{\frac{1}{5}, \frac{3}{7}, \frac{7}{10}}{\frac{1}{5}, \frac{3}{7}, \frac{7}{10}}$ 

Answer:

	2	2	8
(i)	9'	3'	21

Changing them to like fractions, we obtain

2	$2 \times 7$	14
9	9×7	63
2_	2×21	42
3	3×21	63
8	8×3	24
21	$\overline{21 \times 3}$	= 63

Since 42>24>14,

	2	8	2
• •	3	21	9
	1	3	7
(ii)	5'	7'	10

Changing them to like fractions, we obtain


1	1×14	14
5	5×14	70
3_	3×10_	30
7	7×10	70
7	7×7	_ 49
10	-10×7	70

As 49 > 30>14,

	7	3	1
•••	10	7	5

Q3 :

In a "magic square", the sum of the numbers in each row, in each column and along the diagonal is the same. Is this a magic square?



Answer :

Along the first row, sum	$\frac{4}{11} + \frac{9}{11} + \frac{2}{11} = \frac{15}{11}$				
=	$\frac{3}{11} + \frac{5}{11} + \frac{7}{11} = \frac{15}{11}$				
Along the second row,	$\frac{8}{11} + \frac{1}{11} + \frac{6}{11} = \frac{15}{11}$	sum =			
Along the third row,	$\frac{4}{11} + \frac{3}{11} + \frac{8}{11} = \frac{15}{11}$	sum =			
Along the first column,	$\frac{9}{11} + \frac{5}{11} + \frac{1}{11} = \frac{15}{11}$	sum =			
Along the second	$\frac{2}{11} + \frac{7}{11} + \frac{6}{11} = \frac{15}{11}$	column, sum =			
Along the third column,	$\frac{4}{11} + \frac{5}{11} + \frac{6}{11} = \frac{15}{11}$	sum =			
Along the first diagonal,	$\frac{2}{11} + \frac{5}{11} + \frac{8}{11} = \frac{15}{11}$	sum =			
Along the second diagonal, sum =					

Since the sum of the numbers in each row, in each column, and along the diagonals is the same, it is a magic square.

Q4 :		
	$12\frac{1}{2}$	$10\frac{2}{2}$
A rectangular sheet of paper is	2_cm long and	<sup>3</sup> cm wide.
Find its perimeter.		

#### Answer :


Length =  $12\frac{1}{2}$  cm  $=\frac{25}{2}$  cm Breadth =  $10\frac{2}{3}$  cm  $=\frac{32}{3}$  cm

Perimeter = 2 × (Length + Breadth)

$$= 2 \times \left[\frac{25}{2} + \frac{32}{3}\right] = 2 \times \left[\frac{(25 \times 3) + (32 \times 2)}{6}\right] = 2 \times \left[\frac{75 + 64}{6}\right]$$
$$= 2 \times \frac{139}{6} = \frac{139}{3} = 46\frac{1}{3}$$
 cm

Q5 :

Find the perimeters of (i)  $\Delta ABE$  (ii) the rectangle BCDE in this figure. Whose perimeter is greater?




#### Answer :

(i) Perimeter of  $\triangle ABE = AB + BE + EA$ 

$$= \left(\frac{5}{2} + 2\frac{3}{4} + 3\frac{3}{5}\right) = \left(\frac{5}{2} + \frac{11}{4} + \frac{18}{5}\right)$$
$$= \left(\frac{5 \times 10}{2 \times 10} + \frac{11 \times 5}{4 \times 5} + \frac{18 \times 4}{5 \times 4}\right)$$
$$= \frac{50 + 55 + 72}{20} = \frac{177}{20} = 8\frac{17}{20} \text{ cm}$$
(ii)



Perimeter ( $\triangle ABE$ ) > Perimeter (BCDE)



As 531 > 430,

Perimeter of rectangle = 2 (Length + Breadth)

Perimeter of rectangle 
$$= 2\left[\frac{11}{4} + \frac{7}{6}\right]$$
$$= 2\left[\frac{11\times3}{4\times3} + \frac{7\times2}{6\times2}\right] = 2\left[\frac{33+14}{12}\right]$$
$$= 2\times\frac{47}{12} = \frac{47}{6} = 7\frac{5}{6} \text{ cm}$$
$$\frac{177}{12} \text{ cm}$$

Perimeter of  $\triangle ABE = 20$ 

Changing them to like fractions, we obtain

177	_177×3	_ 531
20	20×3	60
43	43×10	430
6	6×10	60

Answer:

 $=\frac{38}{5}$  cm  $7\frac{3}{5}$ Width of picture =  $7\frac{3}{10}$  $\frac{73}{10}$ cm Required width =

The picture should be trimmed by 
$$=\left(\frac{38}{5} - \frac{73}{10}\right)$$
  
 $=\left(\frac{38 \times 2}{5 \times 2} - \frac{73}{10}\right) = \frac{76 - 73}{10} = \frac{3}{10}$  cm

1

7

Q7 :

3

Ritu ate 5 part of an apple and the remaining apple was eaten by her brother Somu. How much part of the apple did Somu eat? Who had the larger share? By how much?

Answer :

Part of apple eaten by Ritu =  $\frac{3}{5}$ 

Part of apple eaten by Somu = 1 - Part of apple eaten by Ritu

$$1 - \frac{3}{5} = \frac{2}{5}$$

Therefore, Somu ate  $\overline{5}$  part of the apple.

2

Since 3 > 2, Ritu had the larger share.

3 2 5 Difference between the 2 shares =  $\frac{1}{5}$ 

5

Therefore, Ritu's share is larger than the share of Somu by  $\overline{5}$ .

Q8 :

3

Michael finished colouring a picture in 12 hour. Vaibhav finished colouring the same picture in 4 hour. Who worked longer? By what fraction was it longer?

1

Answer :


Time taken by Michael =  $\frac{7}{12}$  hr Time taken by Vaibhav =  $\frac{3}{4}$ hr

Converting these fractions into like fractions, we obtain

3	3×3	9
4	4×3	12
An	$d, \frac{7}{12}$	


Since 9 > 7,


Vaibhav worked longer.



Exercise 2.2 : Solutions of Questions on Page Number : 36 Q1 :


Which of the drawings (a) to (d) show:






Q2 :

Some pictures (a) to (c) are given below. Tell which of them show:



		1	6
		=	
<u> </u>		1	S
		1 1	
Anowers			



is represented by (b)

shaded figures and one figure having 1 part as shaded out of 4 equal parts. Hence,

#### Q3 :

Multiply and reduce to lowest form and convert into a mixed fraction:

$$\begin{array}{c} 7 \times \frac{3}{5} & 4 \times \frac{1}{3} & 2 \times \frac{6}{7} & 5 \times \frac{2}{9} \\ \frac{2}{3} \times 4 & \frac{5}{2} \times 6 & 11 \times \frac{4}{7} & 20 \times \frac{4}{5} \\ \frac{13 \times \frac{1}{3} & 15 \times \frac{3}{5} & 15 \times \frac{3}{5} \end{array}$$

(i)  

$$7 \times \frac{3}{5} = \frac{21}{5} = 4\frac{1}{5}$$
(ii)  


$$4 \times \frac{1}{3} = \frac{4}{3} = 1\frac{1}{3}$$
(iii)  


$$2 \times \frac{6}{7} = \frac{12}{7} = 1\frac{5}{7}$$
(iv)  

$$5 \times \frac{2}{9} = \frac{10}{9} = 1\frac{1}{9}$$
(v)  

$$\frac{2}{3} \times 4 = \frac{8}{3} = 2\frac{2}{3}$$
(v)  

$$\frac{5}{2} \times 6 = 15$$
(vi)





1

#### Answer :

It can be observed that there are 12 circles in the given box. We have to shade  $\frac{2}{2}$  of the circles in it. As therefore, we will shade any 6 circles of it. (i)

0	0	0
0	0	0
0	0	0
0	0	0

- $\frac{2}{-}=6$
- It can be observed that there are 9 triangles in the given box. We have to shade  $\frac{2}{3}$  of the triangles in it. As therefore, we will shade any 6 triangles of it. (ii)

$\Delta$	$\Delta$	$\Delta$

It can be observed that there are 15 squares in the given box. We have to shade  $\frac{3}{5}$  of the squares in it. As (iii) 3

$$\frac{5}{5} \times 15 = 9$$

, therefore, we will shade any 9 squares of it.

m		

Q5 :

of (i) 24 (ii) 46
of (i) 18 (ii) 27
of (i) 16 (ii) 36
of (i) 20 (ii) 35

## Find:

 $\frac{1}{2}$  (a)  $\frac{2}{3}$  (b)  $\frac{3}{4}$  (c)  $\frac{4}{5}$  (d)

$$\frac{1}{2} \times 24 = 12$$
(a) (i)  $\frac{1}{2} \times 46 = 23$ 
(ii)  $\frac{2}{3} \times 18 = 12$ 
(b) (i)  $\frac{2}{3} \times 27 = 18$ 
(ii)  $\frac{3}{4} \times 16 = 12$ 
(c) (i)  $\frac{3}{4} \times 36 = 27$ 
(ii)  $\frac{3}{4} \times 36 = 27$ 
(d) (i)  $\frac{4}{5} \times 20 = 16$ 
(iii)  $\frac{4}{5} \times 35 = 28$ 

## Q6 :

Multiply and express as a mixed fraction:

(a) 
$$3 \times 5\frac{1}{5}$$
 (b)  $5 \times 6\frac{3}{4}$   
(c)  $7 \times 2\frac{1}{4}$  (d)  $4 \times 6\frac{1}{3}$   
(e)  $3\frac{1}{4} \times 6$  (f)  $3\frac{2}{5} \times 8$ 

## Answer :

(~~)		$=3\times\frac{26}{5}$			
		$=5\times\frac{27}{4}$			
		$=7\times\frac{9}{4}=$			
		$=4\times\frac{19}{3}$			
		$=\frac{13}{4}\times 6$			$9\frac{1}{2}$
(f)	$3\frac{2}{5} \times 8$	$=\frac{17}{5}\times 8$	$=\frac{136}{5}=$	$27\frac{1}{5}$	
Q7	: <u>1</u>	$2\frac{3}{2}$	$4^{2}_{-}$	5	35

Find (a)  $\frac{1}{2} \int_{\text{of (i)}} 2\frac{3}{4} \int_{\text{(ii)}} 4\frac{2}{9} \int_{\text{(b)}} \frac{5}{8} \int_{\text{of (i)}} 3\frac{5}{6} \int_{\text{(ii)}} 9\frac{2}{3}$ 

(a) (i)	$\frac{1}{2} \times 2$	$\frac{3}{4} = \frac{1}{2}$	$\frac{11}{2} \times \frac{11}{4}$	$=\frac{11}{8}=$	$1\frac{3}{8}$
(ii) $\frac{1}{2}$	$\times 4\frac{2}{9}$	$=\frac{1}{2}\times$	$\frac{38}{9} = $	$\frac{19}{9} = 2$	$\frac{1}{9}$
(b) (i)	$\frac{5}{8} \times 3$	$\frac{5}{6} = \frac{5}{8}$	$\frac{5}{8} \times \frac{23}{6}$	$=\frac{115}{48}$	$=2\frac{19}{48}$
(ii) <sup>5</sup> /8	$\times 9\frac{2}{3}$	$=\frac{5}{8}\times$	$\frac{29}{3} =$	$\frac{145}{24} =$	$6\frac{1}{24}$

## Q8 :

Vidya and Pratap went for a picnic. Their mother gave them a water bottle that contained 5 litres of water. Vidya

consumed 5 of the water. Pratap consumed the remaining water.

(i) How much water did Vidya drink?

(ii) What fraction of the total quantity of water did Pratap drink?

#### Answer :

(i) Water consumed by Vidya =  $\frac{2}{5}$  of 5 litres

$$=\frac{2}{5}\times5=2$$
 litres

(ii) Water consumed by Pratap =  $1 - \frac{2}{5} = \frac{3}{5}$  of the total water

```
Exercise 2.3 : Solutions of Questions on Page Number : 41
Q1 :
Find:
```

$$\begin{array}{c} \frac{1}{4} \\ _{\text{of (a)}} \frac{1}{4} \\ _{\text{(b)}} \frac{3}{5} \\ _{\text{(c)}} \frac{4}{3} \\ \frac{1}{7} \\ _{\text{of (a)}} \frac{2}{9} \\ \frac{6}{5} \\ \frac{3}{10} \end{array}$$

#### Answer :

 $\frac{1}{4} \times \frac{1}{4} = \frac{1}{16}$ (i) (a)  $\frac{1}{4} \times \frac{3}{5} = \frac{3}{20}$ (b)  $\frac{1}{4} \times \frac{3}{5} = \frac{3}{20}$ (c)  $\frac{1}{4} \times \frac{4}{3} = \frac{1}{3}$ (ii) (a)  $\frac{1}{7} \times \frac{2}{9} = \frac{2}{63}$ (iii) (a)  $\frac{1}{7} \times \frac{6}{5} = \frac{6}{35}$ (b)  $\frac{1}{7} \times \frac{3}{10} = \frac{3}{70}$ 

## Q2 :

Multiply and reduce to lowest form (if possible):

$$\frac{2}{3} \times 2\frac{2}{3} \underset{(ii)}{} \frac{2}{7} \times \frac{7}{9} \underset{(iii)}{} \frac{3}{8} \times \frac{6}{4}$$
$$\frac{9}{5} \times \frac{3}{5} \underset{(v)}{} \frac{1}{3} \times \frac{15}{8} \underset{(vi)}{} \frac{11}{2} \times \frac{3}{10}$$
$$\frac{4}{5} \times \frac{12}{7}$$

## Answer :

$\begin{array}{c} \frac{2}{3} \times 2\frac{2}{3} = \frac{2}{3} \times \frac{8}{3} = \frac{16}{9} = 1\frac{7}{9} \end{array}$
(ii) $\frac{2}{7} \times \frac{7}{9} = \frac{2}{9}$
(iii) $\frac{3}{8} \times \frac{6}{4} = \frac{9}{16}$
$\frac{9}{5} \times \frac{3}{5} = \frac{27}{25} = 1\frac{2}{25}$
$(v) \frac{1}{3} \times \frac{15}{8} = \frac{5}{8}$
$\frac{11}{2} \times \frac{3}{10} = \frac{33}{20} = 1\frac{13}{20}$
(vii) $\frac{4}{5} \times \frac{12}{7} = \frac{48}{35} = 1\frac{13}{35}$

## Q3 :

Multiply the following fractions:

(i) 
$$\frac{\frac{2}{5} \times 5\frac{1}{4}}{(ii)} = 6\frac{2}{5} \times \frac{7}{9} = \frac{3}{2} \times 5\frac{1}{3}$$

(iv) 
$$\frac{5}{6} \times 2\frac{3}{7}$$
 (v)  $3\frac{2}{5} \times \frac{4}{7}$  (vi)  $2\frac{3}{5} \times 3$   
(vii)  $3\frac{4}{7} \times \frac{3}{5}$ 

Answer:

$$\frac{2}{5} \times 5\frac{1}{4} = \frac{2}{5} \times \frac{21}{4} = \frac{21}{10}$$

1 2

44

1

33

7

1

10 This is an improper fraction and it can be written as a mixed fraction as

(ii) 
$$6\frac{2}{5} \times \frac{7}{9} = \frac{32}{5} \times \frac{7}{9} = \frac{224}{45}$$

45 This is an improper fraction and it can be written as a mixed fraction as

(iii) 
$$\frac{3}{2} \times 5\frac{1}{3} = \frac{3}{2} \times \frac{16}{3} = 8$$

This is a whole number.

$$\frac{5}{6} \times 2\frac{3}{7} = \frac{5}{6} \times \frac{17}{7} = \frac{85}{42}$$

42 This is an improper fraction and it can be written as a mixed fraction as

(v) 
$$3\frac{2}{5} \times \frac{4}{7} = \frac{17}{5} \times \frac{4}{7} = \frac{68}{35}$$

This is an improper fraction and it can be written as a mixed fraction as

$$2\frac{3}{5} \times 3 = \frac{13}{5} \times 3 = \frac{39}{5}$$

4 5 This is an improper fraction and it can be written as a mixed fraction as

(vii) 
$$3\frac{4}{7} \times \frac{3}{5} = \frac{25}{7} \times \frac{3}{5} = \frac{15}{7}$$

This is an improper fraction and it can be written as a mixed fraction as

Q4 :

Which is greater:

	2		3		3	5
(i)	7	of	4	or	5 of	8
	1		6		2	3
(ii)	2	of	7	or	3 of	7

Answer :

1000	2	3	3
(i)	7	4	14
3	5	3	
5	8	8	


Converting these fractions into like fractions,

3 _ 3×4 _ 12
$\frac{3}{14} = \frac{3 \times 4}{14 \times 4} = \frac{12}{56}$
$\frac{3}{8} = \frac{3 \times 7}{8 \times 7} = \frac{21}{56}$
8 8×7 56
Since $\frac{21}{56} > \frac{12}{56}$ ,
$\therefore \frac{3}{8} > \frac{3}{14}$
$\frac{3}{5} \circ_{\text{of}} \frac{5}{8}_{\text{is greater.}}$
(ii) $\frac{1}{2} \times \frac{6}{7} = \frac{3}{7}$
$\frac{2}{3} \times \frac{3}{7} = \frac{2}{7}$
Since $3 > 2$ ,
$\therefore \frac{3}{7} > \frac{2}{7}$
Therefore, $\frac{1}{2} \int_{\text{of}} \frac{6}{7} \int_{\text{is greater.}}$

Q5 :

3

Saili plants 4 saplings, in a row, in her garden. The distance between two adjacent saplings is 4 m. Find the distance between the first and the last sapling.



From the figure, it can be observed that gaps between 1st and last sapling = 3

Length of 1 gap = 
$$\frac{3}{4}$$
 m

$$3 \times \frac{3}{4} = \frac{9}{4} = 2\frac{1}{4}$$
 m

Q6:

$$1\frac{3}{1}$$

Therefore, distance between I and IV sapling =

Lipika reads a book for <sup>4</sup> hours everyday. She reads the entire book in 6 days. How many hours in all were required by her to read the book?

Answer :

$$1\frac{3}{4} = \frac{7}{4}$$
 hours day =

7

Number of hours Lipika reads the book per

Number of days = 6

$$\frac{7}{4} \times 6$$
 the book =

3 11

Total number of hours required by her to read

$$=\frac{21}{2}=10\frac{1}{2}$$
 hours

Q7 :

2-3

A car runs 16 km using 1 litre of petrol. How much distance will it cover using 4 litres of petrol.


Answer:

Number of kms a car can run per litre petrol = 16 km

Quantity of petrol =  
Number of kms a car can run
$$\frac{11}{4}$$
  
litre petrol = $\frac{11}{4} \times 16$  $2\frac{3}{4}$   
for = 44 kmIt will cover 44 km distance by $2\frac{3}{4}$   
litres of petrol.using

Q8 :  $\frac{2}{3} \times \square = \frac{10}{30}$ (a) (i) Provide the number in the box  $\Box$ , such that 🗆 is \_\_\_ (ii) The simplest form of the number obtained  $\frac{3}{5} \times \square = \frac{24}{75}$ in (b) (i) Provide the number in the box  $\square$ , such 🗆 is \_\_\_\_ ? that (ii) The simplest form of the number obtained in Answer: (a) (i) As  $\frac{2}{3} \times \frac{5}{10} = \frac{10}{30}$ 10 is 30 Therefore, the number in the box  $\square$ , such that 5 10 (ii) The simplest form of  $\frac{5}{10}$  is  $\frac{1}{2}$ (b) (i) As  $\frac{3}{5} \times \frac{8}{15} = \frac{24}{75}$ 24 75 Therefore, the number in the box , such that  $\frac{8}{15}$ 8 8 (ii) As 15 cannot be further simplified, therefore, its simplest for rm is 15 Exercise 2.4 : Solutions of Questions on Page Number : 46 Q1: Find: (i)  $12 \div \frac{3}{4}$  (ii)  $14 \div \frac{5}{6}$  (iii)  $8 \div \frac{7}{3}$  $4 \div \frac{8}{3}_{(v)} 3 \div 2\frac{1}{3}_{(vi)} 5 \div 3\frac{4}{7}$ 

Answer :



#### Q2:


Find the reciprocal of each of the following fractions. Classify the reciprocals as proper fractions, improper fractions and whole numbers.

$$\begin{array}{c} \frac{3}{7} & \frac{5}{8} & \frac{9}{7} \\ \frac{6}{5} & \frac{12}{7} & \frac{1}{8} \\ \frac{11}{11} \end{array}$$

#### Answer :

A proper fraction is the fraction which has its denominator greater than its numerator while improper fraction is the fraction which has its numerator greater than its denominator. Whole numbers are a collection of all positive integers including 0.

(i) 
$$|\frac{3}{7}$$
  
Reciprocal =  $\frac{7}{3}$   
(ii)  $\frac{5}{8}$   
Therefore, it is an improper fraction. Reciprocal =  $|\frac{8}{5}$   
Therefore, it is an improper fraction.



Q3: Find:  $(\frac{7}{3} \div 2)_{(ii)} \frac{4}{9} \div 5 \frac{6}{13} \div 7$  $(\frac{4}{3} \div 3)_{(v)} \frac{3\frac{1}{2} \div 4}{2} \frac{4\frac{3}{7} \div 7}{4\frac{7}{7}}$ 

## Answer :

(i)	$\frac{7}{3} \div 2 =$	$\frac{7}{3} \times \frac{1}{2} = \frac{7}{6}$	
(ii)	$\frac{4}{9} \div 5 = -$	$\frac{4}{9} \times \frac{1}{5} = \frac{4}{4}$	4 5
(iii)	$\frac{6}{13}$ ÷7 =	$=\frac{6}{13} \times \frac{1}{7} =$	$=\frac{6}{91}$
(iv)	$4\frac{1}{3} \div 3 =$	$=\frac{13}{3} \div 3 =$	$\frac{13}{3} \times \frac{1}{3} = \frac{13}{9}$
(v)	$3\frac{1}{2} \div 4 =$	$=\frac{7}{2} \div 4 =$	$\frac{7}{2} \times \frac{1}{4} = \frac{7}{8}$
(vi)	$4\frac{3}{7} + 7$	$=\frac{31}{7}\times\frac{1}{7}$	$=\frac{31}{49}$

## Q4 :

	the same same	-+
(i) 5 2	(ii) 9 3 (i	ii) 7 7
(iv) $2\frac{1}{3}$ +	$\frac{3}{5}_{(v)} 3\frac{1}{2}$ ÷	$\frac{8}{3}_{(vi)} \frac{2}{5} \div 1\frac{1}{2}$

	2	1	2	2-	4
(i)	5	2	5	4 -	5
	4	2	4	3	2
(ii)	9	3	9	2	3
	3	. 8	_ 3	7	_ 3
(iii)	7	7	7	8	8

(	3	73	7	5 3	35
iv) <sup>2</sup> -3	+==	$3^{+}5^{+}$	$=\overline{3}^{\times}$	$\frac{1}{3} = -$	9
31	.8_7	. 8	7	3_2	21
(v) <sup>3</sup> 2	3 2	3	2	8 1	6
2	12	2.3	2	2	4
(vi) 5	2 3	5 2	5	3	15
31	$+1^2 =$	<u>16</u>	$5_{-1}$	$\frac{6}{\times}$	_ 48
(vii) 5	'3	5	3	5 5	25
2	$\frac{1}{2} + \frac{1}{2} = \frac{1}{2}$	11	6_1	1 5	= 11
(viii)	5 5	5	5	5 6	6

Exercise 2.5 : Solutions of Questions on Page Number : 47 Q1 : Which is greater?

(i) 0.5 or 0.05 (ii) 0.7 or 0.5 (iii) 7 or 0.7

(iv) 1.37 or 1.49 (v) 2.03 or 2.30 (vi) 0.8 or 0.88

#### Answer :

(i) 0.5 or 0.05

Converting these decimal numbers into equivalent fractions,

$$0.5 = \frac{5}{10} = \frac{5 \times 10}{10 \times 10} = \frac{50}{100}$$
 and  $0.05 = \frac{5}{100}$ 

It can be observed that both fractions have the same denominator.

As 50 > 5,

Therefore, 0.5 > 0.05

(ii) 0.7 or 0.5

Converting these decimal numbers into equivalent fractions,

$$0.7 = \frac{7}{10}$$
 and  $0.5 = \frac{5}{10}$ 

It can be observed that both fractions have the same denominator.

As 7 > 5,

Therefore, 0.7 > 0.5

(iii) 7 or 0.7

Converting these decimal numbers into equivalent fractions,

$$7 = \frac{7}{1} = \frac{7 \times 10}{1 \times 10} = \frac{70}{10}$$
 and  $0.7 = \frac{7}{10}$ 

It can be observed that both fractions have the same denominator. As 70 > 7, Therefore, 7 > 0.7

(iv) 1.37 or 1.49

Converting these decimal numbers into equivalent fractions,

$$1.37 = \frac{137}{100}$$
 and  $1.49 = \frac{149}{100}$ 

It can be observed that both fractions have the same denominator.

As 137 < 149,

Therefore, 1.37 < 1.49

Converting these decimal numbers into equivalent fractions,

$$2.03 = \frac{203}{100}$$
 and  $2.30 = \frac{230}{100}$ 

It can be observed that both fractions have the same denominator.

As 203 < 230,

Therefore, 2.03 < 2.30

(vi) 0.8 or 0.88

Converting these decimal numbers into equivalent fractions,

$$0.8 = \frac{8}{10} = \frac{8 \times 10}{10 \times 10} = \frac{80}{100}$$
 and  $0.88 = \frac{88}{100}$ 

It can be observed that both fractions have the same denominator.

As 80 < 88, Therefore, 0.8 < 0.88

#### Q2 :

Express as rupees using decimals:

(i) 7 paise (ii) 7 rupees 7 paise (iii) 77 rupees 77 paise

(iv) 50 paise (v) 235 paise

#### Answer :

There are 100 paise in 1 rupee. Therefore, if we want to convert paise into rupees, then we have to divide paise by 100.

(i) 7 paise = 
$$\frac{\text{Rs} \frac{7}{100} = \text{Rs} \ 0.07}{\text{Rs} \ 7 + \text{Rs} \ \frac{7}{100}}$$
  
(ii) 7 Rs 7 paise =  $\frac{\text{Rs} \ 7 + \text{Rs} \ \frac{7}{100}}{\text{Rs} \ 7 + \text{Rs} \ \frac{7}{100}}$   
= Rs 7.07

(iii) 77 Rs 77 paise 100 = Rs 77.77

(  
iv) 50 paise = 
$$Rs \frac{50}{100} = Rs 0.50$$
  
(v) 235 paise =  $\frac{235}{100}$  rupees =  $Rs 2.35$ 

Q3 :

(i) Express 5 cm in metre and kilometre

(ii) Express 35 mm in cm, m and km

Answer :

(i) 5 cm

5 cm = 
$$\frac{5}{100}$$
 m = 0.05 m  
5 cm =  $\frac{5}{100000}$  km = 0.00005 km

(ii) 35 mm

$$35\text{mm} = \frac{35}{10} \text{ cm} = 3.5 \text{ cm}$$
$$35\text{mm} = \frac{35}{1000} \text{ m} = 0.035 \text{ m}$$
$$35\text{mm} = \frac{35}{1000000} \text{ km} = 0.000035 \text{ km}$$

#### Q4 :

Express in kg:

(i) 200 g (ii) 3470 g (iii) 4 kg 8 g

#### Answer :

 $= \frac{200}{1000} \text{ kg} = 0.2 \text{ kg}$ (i) 200 g  $= \frac{3470}{1000} \text{ kg} = 3.470 \text{ kg}$ (ii) 3470 g  $= \frac{4 \text{ kg}}{1000} \text{ kg} = 3.470 \text{ kg}$ (iii) 4 kg 8 g  $= 4 \text{ kg} + \frac{8}{1000} \text{ kg} = 4.008 \text{ kg}$ 

Write the following decimal numbers in the expanded form: (i) 20.03 (ii) 2.03 (iii) 200.03

(iv) 2.034

#### Answer:

 $=2\times10+0\times1+0\times\frac{1}{10}+3\times\frac{1}{100}$ (i) 20.03  $=2 \times 1 + 0 \times \frac{1}{10} + 3 \times \frac{1}{10}$ (ii) 2.03  $= 2 \times 100 + 0 \times 10 + 0 \times 1 + 0 \times \frac{1}{10} + 3 \times \frac{1}{100}$ (iii) 200.03  $= 2 \times 1 + 0 \times \frac{1}{10} + 3 \times \frac{1}{100} + 4 \times \frac{1}{1000}$ 

(iv) 2.034

Q6:

Write the place value of 2 in the following decimal numbers:

(i) 2.56 (ii) 21.37 (iii) 10.25

(iv) 9.42 (v) 63.352

Answer:

(i) 2.56

Ones

(ii) 21.37

Tens

(iii) 10.25

Tenths


(iv) 9.42

Hundredths

(v) 63.352 Thousandths

Q7:

Dinesh went from place A to place B and from there to place C. A is 7.5 km from B and B is 12.7 km from C. Ayub went from place A to place D and from there to place C. D is 9.3 km from A and C is 11.8 km from D. Who travelled more and by how much?



( Distance travelled by Dinesh = AB + BC = (7.5 + 12.7) km

	7.5
+	12.7
	20.2

Therefore, Dinesh travelled 20.2 km.

Distance travelled by Ayub = AD + DC = (9.3 + 11.8) km

9.3 +11.8 21.1

Therefore, Ayub travelled 21.1 km.

Hence, Ayub travelled more distance.

Difference = (21.1 - 20.2) km



Therefore, Ayub travelled 0.9 km more than Dinesh.

## Q8 :

Shyama bought 5 kg 300 g apples and 3 kg 250 g mangoes. Sarala bought 4 kg 800 g oranges and 4 kg 150 g bananas. Who bought more fruits?

#### Answer :

Total fruits bought by Shyama = 5 kg 300 g + 3 kg 250 g

= 8 kg 550 g

$$\left(8 + \frac{550}{1000}\right) kg$$

= 8.550 kg

Total fruits bought by Sarala = 4 kg 800 g + 4 kg 150 g

= 8 kg 950 g

$$\left(8+\frac{950}{1000}\right)$$
kg

= 8.950 kg

. Sarala bought more fruits.

#### Q9 :

How much less is 28 km than 42.6 km?

	42.6
-	28.0
	14.6

Therefore, 28 km is 14.6 km less than 42.6 km.

Exercise 2.6 : Solutions of Questions on Page Number : 52 Q1: Find: (i) 0.2 x 6 (ii) 8 x 4.6 (iii) 2.71 x 5 (iv) 20.1 x 4 (v) 0.05 x 7 (vi) 211.02 x 4 (vii) 2 x 0.86 Answer :  $0.2 \times 6 = \frac{2}{10} \times 6 = \frac{12}{10} = 1.2$ (i)  $8 \times 4.6 = 8 \times \frac{46}{10} = \frac{368}{10} = 36.8$ (ii) (iii)  $2.71 \times 5 = \frac{271}{100} \times 5 = \frac{1355}{100} = 13.55$ (iv)  $20.1 \times 4 = \frac{201}{10} \times 4 = \frac{804}{10} = 80.4$ (v)  $0.05 \times 7 = \frac{5}{100} \times 7 = \frac{35}{100} = 0.35$  $211.02 \times 4 = \frac{21102}{100} \times 4 = \frac{84408}{100} = 844.08$ (vi)  $2 \times 0.86 = 2 \times \frac{86}{100} = \frac{172}{100} = 1.72$ (vii)

Q2:

Find the area of rectangle whose length is 5.7 cm and breadth is 3 cm.

#### Answer:

Length = 5.7 cm Breadth = 3 cm

Area = Length x Breadth

= 5.7 x 3 = 17.1 cm<sup>2</sup>

#### Q3 : Find:

(i) 1.3 x 10 (ii) 36.8 x 10 (iii) 153.7 x 10
(iv) 168.07 x 10 (v) 31.1 x 100 (vi) 156.1 x 100
(vii) 3.62 x 100 (viii) 43.07 x 100 (ix) 0.5 x 10
(x) 0.08 x 10 (xi) 0.9 x 100 (xii) 0.03 x 1000

#### Answer :

We know that when a decimal number is multiplied by 10, 100, 1000, the decimal point in the product is shifted to the right by as many places as there are zeroes. Therefore, these products can be calculated as

- (i) 1.3 x 10 = 13
- (ii) 36.8 x 10 = 368
- (iii) 153.7 x 10 = 1537
- (vi) 168.07 x 10 = 1680.7
- (v) 31.1 x 100 = 3110
- (vi) 156.1 x 100 = 15610
- (vii) 3.62 x 100 = 362
- (viii) 43.07 x 100 = 4307
- (ix) 0.5 x 10 = 5
- (x) 0.08 x 10 = 0.8
- (xi) 0.9 x 100 = 90 (xiii) 0.03 x 1000 = 30

#### Q4 :

A two-wheeler covers a distance of 55.3 km in one litre of petrol. How much distance will it cover in 10 litres of petrol?

#### Answer :

Distance covered in 1 litre of petrol = 55.3 km

Distance covered in 10litre of petrol =  $10 \times 55.3 = 553$  km Therefore, it will cover 553 km distance in 10 litre petrol.

Q5 : Find:

(i) 2.5 x 0.3 (ii) 0.1 x 51.7 (iii) 0.2 x 316.8

(iv) 1.3 x 3.1 (v) 0.5 x 0.05 (vi) 11.2 x 0.15 (vii) 1.07 x 0.02 (viii) 10.05 x 1.05 (ix) 101.01 x 0.01

(x) 100.01 x 1.1

Answer :

(i)  

$$2.5 \times 0.3 = \frac{25}{10} \times \frac{3}{10} = \frac{75}{100} = 0.75$$
(i)  

$$0.1 \times 51.7 = \frac{1}{10} \times \frac{517}{10} = \frac{517}{100} = 5.17$$
(ii)  

$$0.2 \times 316.8 = \frac{2}{10} \times \frac{3168}{10} = \frac{6336}{100} = 63.36$$
(iii)  

$$1.3 \times 3.1 = \frac{13}{10} \times \frac{31}{10} = \frac{403}{100} = 4.03$$
(iv)  

$$0.5 \times 0.05 = \frac{5}{10} \times \frac{5}{100} = \frac{25}{1000} = 0.025$$
(iv)  

$$11.2 \times 0.15 = \frac{112}{10} \times \frac{15}{100} = \frac{1680}{1000} = 1.680 = 1.68$$
(vi)  

$$1.07 \times 0.02 = \frac{107}{100} \times \frac{2}{100} = \frac{214}{10000} = 0.0214$$
(vii)  

$$10.05 \times 1.05 = \frac{1005}{100} \times \frac{105}{100} = \frac{105525}{10000} = 10.5525$$
(viii)  

$$101.01 \times 0.01 = \frac{10101}{100} \times \frac{1}{10} = \frac{10101}{10000} = 1.0101$$
(x)  
(x)  
(x)

Exercise 2.7 : Solutions of Questions on Page Number : 55 Q1 : Find:

(i) 0.4  $\tilde{A}f\hat{A} \cdot 2$  (ii) 0.35  $\tilde{A}f\hat{A} \cdot 5$  (iii) 2.48  $\tilde{A}f\hat{A} \cdot 4$ (iv) 65.4  $\tilde{A}f\hat{A} \cdot 6$  (v) 651.2  $\tilde{A}f\hat{A} \cdot 4$  (vi) 14.49  $\tilde{A}f\hat{A} \cdot 7$ (vii) 3.96  $\tilde{A}f\hat{A} \cdot 4$  (viii) 0.80  $\tilde{A}f\hat{A} \cdot 5$ 

(i) 
$$0.4 \div 2 = \frac{4}{10} \div 2 = \frac{4}{10} \times \frac{1}{2} = \frac{2}{10} = 0.2$$

(ii)	$0.35 \div 5 = \frac{35}{100} \div 5 = \frac{35}{100} \times \frac{1}{5} = \frac{7}{100} = 0.07$
(iii)	$2.48 \div 4 = \frac{248}{100} \div 4 = \frac{248}{100} \times \frac{1}{4} = \frac{62}{100} = 0.62$
(iv)	$65.4 \div 6 = \frac{654}{10} \div 6 = \frac{654}{10} \times \frac{1}{6} = \frac{109}{10} = 10.9$
(v)	$651.2 \div 4 = \frac{6512}{10} \div 4 = \frac{6512}{10} \times \frac{1}{4} = \frac{1628}{10} = 162.8$
(vi)	
(vii)	$3.96 \div 4 = \frac{396}{100} \div 4 = \frac{396}{100} \times \frac{1}{4} = \frac{99}{100} = 0.99$
(viii)	$0.80 \div 5 = \frac{80}{100} \div 5 = \frac{80}{100} \times \frac{1}{5} = \frac{16}{100} = 0.16$

## Q2 :

Find:

(i) 4.8 Ãf· 10 (ii) 52.5 Ãf· 10 (iii) 0.7 Ãf· 10

(iv) 33.1 Ãf· 10 (v) 272.23 Ãf· 10 (vi) 0.56 Ãf· 10

(vii) 3.97 Ãf· 10

#### Answer :

We know that when a decimal number is divided by a multiple of 10 only (i.e., 10, 100, 1000, etc.), the decimal point will be shifted to the left by as many places as there are zeroes. Since here we are dividing by 10, the decimal will shift to the left by 1 place.

(i)  $4.8 \tilde{A} f \hat{A} \cdot 10 = 0.48$ 

(ii) 52.5  $\tilde{A}f\hat{A}$ · 10 = 5.25

(iii) 0.7  $\tilde{A}f\hat{A}$ · 10 = 0.07

(iv) 33.1  $\tilde{A}f\hat{A}$ · 10 = 3.31

(v) 272.23  $\tilde{A}f\hat{A}$ · 10 = 27.223

(vi) 0.56 Åf· 10 = 0.056 (vii) 3.97 Åf· 10 = 0.397

## Q3: Find:

(i) 2.7 Ãf· 100 (ii) 0.3 Ãf· 100 (iii) 0.78 Ãf· 100 (iv) 432.6 Ãf· 100 (v) 23.6 Ãf· 100 (vi) 98.53 Ãf· 100

We know that when a decimal number is divided by a multiple of 10 only (i.e., 10, 100, 1000, etc.), the decimal point will be shifted to the left by as many places as there are zeroes. Since here we are dividing by 100, the decimal will shift to the left by 2 places. (i) 2.7 Ãf· 100 = 0.027 (ii)  $0.3 \tilde{A} f \hat{A} \cdot 100 = 0.003$ (iii) 0.78  $\tilde{A}f\hat{A}$  · 100 = 0.0078

(iv) 432.6  $\tilde{A}f\hat{A}$  · 100 = 4.326

(v) 23.6  $\tilde{A}f\hat{A}$ · 100 = 0.236 (vi) 98.53  $\tilde{A}f\hat{A}$ · 100 = 0.9853

#### Q4 : Find:

(i) 7.9 Ãf· 1000 (ii) 26.3 Ãf· 1000 (iii) 38.53 Ãf· 1000

(iv) 128.9 Ãf· 1000 (v) 0.5 Ãf· 1000

#### Answer:

We know that when a decimal number is divided by a multiple of 10 only (i.e., 10, 100, 1000, etc.), the decimal point will be shifted to the left by as many places as there are zeroes. Since here we are dividing by 1000, the decimal will shift to the left by 3 places.

(i) 7.9  $\tilde{A}f\hat{A}$  · 1000 = 0.0079

(ii) 26.3  $\tilde{A}f\hat{A}$ · 1000 = 0.0263

(iii) 38.53 Ã*f*· 1000 = 0.03853

(iv) 128.9  $\tilde{A}f\hat{A}$ · 1000 = 0.1289

(v)  $0.5 \tilde{A} f \hat{A} \cdot 1000 = 0.0005$ 

Q5: Find:

(i) 7 Ãf· 3.5 (ii) 36 Ãf· 0.2 (iii) 3.25 Ãf· 0.5 (iv) 30.94 Ãf· 0.7 (v) 0.5 Ãf· 0.25 (vi) 7.75 Ãf· 0.25 (vii) 76.5 Ãf· 0.15 (viii) 37.8 Ãf· 1.4 (ix) 2.73 Ãf· 1.3

#### Answer:

(i)  

$$7 \div 3.5 = 7 \div \frac{35}{10} = 7 \times \frac{10}{35} = 2$$
  
 $36 \div 0.2 = 36 \div \frac{2}{10} = 36 \times \frac{10}{2} = 180$   
(ii)

(ii)

 $3.25 \div 0.5 = \frac{325}{100} \div \frac{5}{10} = \frac{325}{100} \times \frac{10}{5} = \frac{65}{10} = 6.5$ (iii)

	$30.94 \div 0.7 = \frac{3094}{100} \div \frac{7}{10} = \frac{3094}{100} \times \frac{10}{7} = \frac{442}{10} = 44.2$
(iv)	100 10 100 7 10
(v)	$0.5 \div 0.25 = \frac{5}{10} \div \frac{25}{100} = \frac{5}{10} \times \frac{100}{25} = 2$
(vi)	$7.75 \div 0.25 = \frac{775}{100} \div \frac{25}{100} = \frac{775}{100} \times \frac{100}{25} = 31$
(vii)	$76.5 \div 0.15 = \frac{765}{10} \div \frac{15}{100} = \frac{765}{10} \times \frac{100}{15} = 510$
(viii)	$37.8 \div 1.4 = \frac{378}{10} \div \frac{14}{10} = \frac{378}{10} \times \frac{10}{14} = 27$
(ix)	$2.73 \div 1.3 = \frac{273}{100} \div \frac{13}{10} = \frac{273}{100} \times \frac{10}{13} = \frac{21}{10} = 2.1$

#### Q6 :

A vehicle covers a distance of 43.2 km in 2.4 litres of petrol. How much distance will it cover in one litre of petrol?

#### Answer:

Distance covered in 2.4 litres of petrol = 43.2 km

$$43.2 \div 2.4 = \frac{432}{10} \div \frac{24}{10} = \frac{432}{10} \times \frac{10}{24} = 18$$

.Distance covered in 1 litre of petrol =

Therefore, the vehicle will cover 18 km in 1 litre petrol.